This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
E1	795859	thin\$4 or (reduc\$5 near5 number near5 pixel)	USPAT	OR	ON	2004/10/29 14:07
L2	23192	″382″/\$.ccls.	USPAT	OR	ON	2004/10/29 14:07
1.3	3093	(thin\$4 or reduc\$5) near5 (number near5 pixel)	USPAT	OR	ON	2004/10/29 14:11
L4	908	2 and 3	USPAT	OR	ON	2004/10/29 14:07
L5	11	4 and ((drive near2 clock) or (timing near2 generator))	USPAT	OR	ON	2004/10/29 14:08
L6	59	((thin\$4 or reduc\$5) near5 (number near5 pixel)) with processor	USPAT	OR	ON	2004/10/29 14:11
L7	4	((jacqueline near2 wilson).xa,) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/29 15:05
L8	9	("4202014" "4388526" "4623927" "4769693" "4907089" "5184006" "5227834" "5268567" "5638120").PN.	US-PGPUB; USPAT; USOCR	OR	ОИ	2004/10/29 15:19
L9	20371	thin\$4 near4 (image or pixel)	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/29 15:20
L10	56	9 with (timing near3 (generator or signal))	US-PGPUB; USPAT; USOCR	OR	ON	2004/10/29 15:20
L11	5	9 with (timing near3 (generator or signal)) with sensor	us-pgpub; uspat; usocr	OR	ON	2004/10/29 15:20
L12	5	9 with (timing near3 (generator or signal)) with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/29 15:21
<u>1</u> 3	24499	thin\$4 near4 (image or pixel)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/29 15:20
L14	5	13 with (timing near3 (generator or signal)) with sensor	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2004/10/29 15:51

L15	61	(348/240.2).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/10/29 15:51
S1	0	"09058204".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 13:43
52	2	"O9O582O4"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ОИ	2003/10/21 13:44
\$3	305	(teruo and hieda).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 13:44
54	63	((teruo and hieda).in.) and resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:13
S5.	350	(348/14.12).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21 14:20
S6	123	((348/14.12).CCLS.) and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:23
. S7	3936	(frequency near5 divid\$3) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:37
58	613	((frequency near5 divid\$3) with (driv\$3 or read\$3)) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:24
S9	51272	″348″/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:24
S10	161	(((frequency near5 divid\$3) with (driv\$3 or read\$3)) and (camera or imager)) and "348"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:47

S11	0	(jacqueline and wilson).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:47
S14	38	(villecco).x ₄ ,	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 14:50
S15	3	((jacqueline near2 wilson).xa.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:10
S16	7	(348/208.13).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21 15:08
S17	138	(348/231.6).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21 15:08
S18	75838	frequency near2 divid\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:08
S19	2	((348/231.6).CCLS.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:12
520	344	(348/272,"273").CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	OFF	2003/10/21 15:12
521	6	((348/272,"273").CCLS.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:14
522	496	(348/304,"294"):CCLS:	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21:15:14
S23	14	((348/304,"294").CCL5.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:16

524	46	((348/312,"317","319","320","322", "324").CCLS.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:27
525	305	(348/333.01,"333"."11","333"."12"). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21 15:27
526	11	((348/333.01, "333"".""11", "333"". ""12").CCLS.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 15:36
527	699	(382/299,″300″).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21 15:28
528	1994	(250/208.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/21 15:36
S29	11	((250/208.1).CCLS.) and (frequency near2 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ОИ	2003/10/21:15:36
S30	661	(frequency near5 divid\$3) same (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ОИ	2003/10/21 15:57
531	499	((clock or drive or read\$3) near5 divid\$3) same (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 16:03
532	3666	((clock or drive or read\$3) near5 divid\$3) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 16:04
533	1713	((drive or read\$3) near5 divid\$3) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 16:04
S34	78	(((drive or read\$3) near5 divid\$3) same processor) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/21 16:04

S35	572	(348/312, "317", "319", "320", "322", "324"). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/22 07:59
536	1187	(frequency near3 divid\$3) with (processor or DSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 08:00
S37	73	((frequency near3 divid\$3) with (processor or DSP)) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 08:15
S38	2453	(camera or imager) and (thin\$3 with pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 08:15
539	586	(camera or imager) and (thinning near5 (lines or pixel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 08:17
54O	159	frequency same (thinning near5 (lines or pixel))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 08:17
S41	43	(frequency same (thinning near5 (lines or pixel))) and (camera or imager)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 09:29
S42	2	("6130420").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/10/22 09:29
543	1	(("6130420").PN.) and filter	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 10:23
544	O	(("6130420").PN.) and bayer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 09:30
545	1	(("6130420").PN.) and pattern	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/10/22 09:30

S46	0	"20020033894",URPN.	USPAT	OR	ON	2003/10/22 09:34
547	11	("4901152" "5206730" "5333055" "5382974" "5585844" "5585848" "5606366" "5712680" "6018363" "6047102" "6069994").PN.	USPAT	OR	ОИ	2003/10/22 09:34
548	0	"6377301".URPN.	USPAT	OR	ON	2003/10/22 09:35
549	9	("4202014" "4388526" "4623927" "4769693" "4907089" "5184006" "5227834" "5268567" "5638120").PN	USPAT	ÖR	ON	2003/10/22 09:35
S5O	3	("5539455" "5828406" "5909247").PN.	USPAT	OR	ON	2003/10/22 09:37
S51	3	"6130420".URPN.	USPAT	OR	ON	2003/10/22 09:37
S52	5	"4035574".URPN.	USPAT	OR	ON	2003/10/22 09:38
\$53	2	("5206730").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2003/10/22 09:38
S54	1	1991-149902.NRAN.	DERWENT DERWENT	OR	OFF	2003/10/22 09:38
<u>\$</u> 555	.2	(("6130420").PN.) and "m"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OZ	2003/10/22 10:24
\$56	402	Parulski.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 08:49
S57	53339	″348″/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 08:50
S58	88	S56 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 09:50
\$59	43182	(reduc\$5 or low) near3 resolution	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 09:39

560	95900	frequency near2 (divid\$4 or divis\$3)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/03/29 09:24
561	125	S59 same S60	DERWENT US-PGPUB;	OR	ON	2004/03/29
			USPAT; EPO; JPO; DERWENT			O9:25
562	49	S61 and (image or camera)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 09:25
563	11651	Thin\$4 near2 (image or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 09:39
564	13	S6O same S63	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 09:39
565	528	(348/14:12,"208":"13";"231":561); CCLS:	US-PGPUB; USPAT;	OR	OFF	2004/03/29 09:53
			USOCR; EPO; JPO;			
566	504	(348/272,"273","304").CCLS.	derwent us-pgpub;	OR	OFF	2004/03/29
	*		USPAT; USOCR; EPO; JPO; DERWENT			11:04
S67	10	S66 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ОИ	2004/03/29 11:22
568	1010	(348/294,"312","317","319","320", "322","324").CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/03/29 12:22
\$69	62	S68 and S6O	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 12:22
S7O	358	(348/333.01,″333″.566,″333″.567). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/03/29 12:23

S71	12	S70 and S60	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 12:24
572 	761	(382/299,"300").CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/03/29 12:30
573	33	572 and 560	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 12:30
574	2161	(250/208.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/03/29 12:30
S75	14	S74 and S6O	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/03/29 12:30
S76	27866	thin\$4 near4 (image or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:11
577	80	S76 same ((drive or timing) near3 (clock or generator))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:35
578	81131	Frequency:near2 divid\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/2815:19
S79	1	S78 with (image near2 sensor) with processor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:28
S8O	261	(348/220.1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2004/10/28 15:28
S81	16	578 and 580	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:29

582	2	S78 same ((drive or timing) near3 (clock or generator)) same thin\$4 same image	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:37
583	42959	″382″/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:37
S84	1804	S76 and S83	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:37
585	66	578 and 584	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/10/28 15:37
586	3	("5764816").URPN.	USPAT	OR	ON	2004/10/29 14:06